



- All-in-one video conferencing solution
- RÖS U1
- TEMPEST Level A
- Based on Cisco CS-DESK-NR-K9

VTC Desk 24" TEMPEST Level A & RÖS U1

Description

VTC Desk 24" U1/LA is the compact video conference solution. It is TEMPEST Level A and RÖS U1 approved and has a built-in touchscreen, camera, speakers, and microphone. In addition to the built-in speaker, it is possible to connect headphones. This makes VTC Desk 24" U1/LA a suitable conference system to have at the desk or in a smaller conference room.

The VTC Desk 24" has connections for fibre optic 100/1000 Mbps network, headphones and fibre optic HDMI input that enable content sharing.

Safety-enhancing features

- RÖS U1
- TEMPEST Level A SDIP-27
- A security switch to turn on and off the display, camera, speakers, and microphone
- Physical camera cover
- Based on the "No radio" version of Cisco Desk

Features





- Interactive 24" 1080p touchscreen
- Digital whiteboard for personal notes or video meetings
- 8 MP camera, 64-degree field of view
- Background noise cancellation
- Microphones with directional sound pickup
- High sound quality with center speaker

Accessory

- VTC Headphone V2 U1/LA
- Document camera U1/LA
- VTC Desk Stylus pen
- Wallmount

Technical data

I/O-ports	Description	Connector	Qty
Audio output	Headphone	LEMO	1
Video input HDMI	Fibre optic HDMI 2.0 1080 @ 60 Hz	MPO	1
Network 100 Mbps	Fibre optic 100 Mbps Ethernet	LC	1
Network 1 Gbps	Fibre optic 1 Gbps Ethernet	LC	1
Power supply	Description		
Mains voltage	230 VAC, 60 Hz		
Connector	IEC 320-C14		
Typical power consumption	40 W		
Maximum power consumption	80 W		
Mechanics and Environment	Description		
Dimensions	479 x 602 x 65 (HxWxD) mm		
Dimensions at minimal tilt	477 x 602 x 195 (HxWxD) mm		
Dimensions at maximum tilt	465 x 602 x 200 (HxWxD) mm		
Weight	11,5 kg		
Operating temperature	0 °C to 35 °C, at 20-90 % RH relative humidity, non-condensing		
Storage temperature	-20 °C to 60 °C, at 10-90 % RH relative humidity, non-condensing		



Features

Features - Monitor	Description
Diagonal size	24"
Display area	528 x 298 (BxW) mm
Optimal (rekommended) resolution	1080p @ 60 Hz
Brightness (typical)	300 cd/m ² (Candela/square meter r)
Contrast	1000:1
Viewing angle (horizontal/vertical)	178/178°
Panel type	VA LED
Features - Web camera	Description
Pixels	8 Megapixels
Image frequency	30 fps
Viewing angle (horizontal/vertical)	64/50°
Focus	Auto

Ordering information

Product	FBET	FBEN	Product No
VTC Desk 24" TEMPEST Level A	N/A	N/A	60-00-9047
Parts	FBET	FBEN	Product No
Power cable	N/A	N/A	50-65-5568
Accessory	FBET	FBEN	Product No
Headphones TEMPEST Level A	M2795-907310	HÖRLUR U1/LA	60-00-7589
Document Camera TEMPEST Level A	M3830-004010	DOKKAMERA RÖS U1/LA	60-00-7776
VTC Desk Stylus Pen	N/A	N/A	60-00-9173
Wall Mount	N/A	N/A	60-00-9174