



- TEMPEST Level A
- RÖS U1
- Removable hard drive
- 65 ppm colour and black and white
- Paper size A6 – SRA3
- 10.1" touchscreen
- Based on the Konica Minolta Bizhub 651i
- Network connectivity over fiber

Copier C651i Network TEMPEST Level A

Description

Fibersystems' powerful C651i Network TEMPEST Level A copier is based on the Konica Minolta Bizhub C651i, which has been modified to achieve TEMPEST Level A and RÖS U1. The copier is capable of 65 pages per minute in both color and black and white, and has a 10.1" touchscreen for easy navigation.

Accessories can customize the copier as needed, for example with a 2500-page paper tray or a finishing unit for stapling, punching, and more.

All external connections on the copier are sealed, with different types of seals depending on whether the seals are intended to be handled by the user or the administrator and technician.

Security-enhancing features

- RÖS U1
- TEMPEST Level A SDIP-27
- Removable hard drive under user seal
- No Wi-Fi, Bluetooth or NFC
- Network connection over fiber, other connectors are sealed
- Limited user interface

Components

- Removable Hard Drive x 2
- Pliers to remove seals
- Seals for users

Configurations

- Copier C651i Network TEMPEST Level A
- Copier C651i Network TEMPEST Level A with Finishing Unit
- Copier C651i Network TEMPEST Level A with 2500-sheet paper tray
- Copier C651i Network TEMPEST Level A with Finishing Unit and 2500-sheet paper tray

Accessories

- Extra removable hard drive
- Extra seals for administrator and user

Paper tray 2500 pages



Features

Features	Description
System speed A4	Up to 65/65 ppm (black & white/colour)
System speed A3	Up to 32/32 ppm (black & white/colour)
Auto-duplex speed A4	Up to 65/65 ppm (black & white/colour)
First-page-out time A4	2.8/3.8 sec. (black & white/colour)
Warm-up time	Approx. 12/13 sec. (black & white/colour) ¹
Imaging technology	Laser
Toner technology	Simitri® V polymerised toner
Panel size/resolution	10.1" / 1024 × 600
System memory	8,192 MB (standard/max.)
System hard drive	256 GB SSD
Automatic document feeder	Up to 300 originals; A6–A3; 35–210 g/m ² ; dual-scan ADF
ADF double-feed detection	Standard
Supported paper sizes	A6–SRA3, custom paper sizes
Supported paper weights	52–300 g/m ²
Paper input capacity	1,000 sheets / 3,500 sheets (standard/max.)
Optional paper tray: 1 × 2,500 sheets	1 × 2,500 sheets; A4; 52–256 g/m ²
Stapling capacity	Max. 200 sets
Stapling output capacity, max.	100 sheets or 98 sheets + 2 cover sheets (up to 300 g/m ²)
Booklet capacity, max.	20 sheets or 19 sheets + 1 cover sheet (up to 300 g/m ²)
Booklet output capacity, max.	35 booklets; unlimited (without tray)
Monthly duty cycle	Recommended: 53,000 pages; Max. ² 250,000 pages
Toner yield – Black	Up to 28,000 pages
Toner yield – CMY	Up to 28,000 pages
Imaging unit yield – Black	Up to 240,000/1,000,000 pages (drum/developer unit)
Imaging unit yield – CMY	Up to 165,000/1,000,000 pages (drum/developer unit)

Technical data

Ports	Description
Network	Multimode fibre-optic network connection, 1 Gbit/s, 850 nm
Power supply – Copier	Description
Mains voltage	230 VAC, 50–60 Hz
Connection	IEC 320-C14
Typical power consumption	1 kW
Maximum power consumption	2 kW
Power supply – Finisher	Description
Mains voltage supplied by copier	230 VAC, 50–60 Hz
Connection	Via the copier
Typical power consumption	50 W
Maximum power consumption	85 W
Mechanical and environmental specifications – Copier	Description
Dimensions	961 × 615 × 688 (H × W × D) mm
Weight	100 kg
Operating temperature	10 °C to 30 °C, at 15–85% relative humidity, non-condensing
Storage temperature	–10 °C to 60 °C, at 10–95% relative humidity, non-condensing
Mechanical and environmental specifications – Finisher	Description
Dimensions	1023 × 528 × 681 (H × W × D) mm
Weight	31 kg
Operating temperature	0 °C to 40 °C, at 10–90% relative humidity, non-condensing
Storage temperature	–10 °C to 60 °C, at 10–95% relative humidity, non-condensing

Order Information

Product		Product Number
Copier C651i Network TEMPEST Level A		60-00-8981
Copier C651i Network TEMPEST Level A with Finisher		60-00-9881
Copier C651i Network TEMPEST Level A with extra paper tray		60-00-9882
Copier C651i TEMPEST Level A Network with Finisher and extra paper tray		60-00-9883
Parts	Number	Product Number
Hard Drive 256GB TEMPEST Level A	2	60-00-8666
Power cable 2 m	1	Original
Side cutter with safety bracket	1	50-65-5528
Tool-less Cable-Seal 1.5 Yellow	2	60-00-8709
Accessories		Product number
Hard Drive 256GB TEMPEST Level A		60-00-8666
Tool-less Cable-Seal 1.5 Yellow		60-00-8709
Tool-less Roto-Seal		50-65-5665
Side cutter with safety bracket		50-65-5528